


²⁵KPV ME EC **225 / 230** Wp



Also available as **BlackBlack** edition!





With black backsheet and frame


KPV ME EC

Power Classes:

Туре	Pmpp _[wp]	Umpp _[v]	Impp _[A]	Uoc _[V]	ISC _[A]	efficiency rate	area per kWp
KPV 225 ME	225 Wp	26,76 V	8,53 A	33,46 V	9,19 A	15,05%	6,64 m ²
KPV 230 ME	230 Wp	26,81 V	8,68 A	33,51 V	9,34 A	15,39%	6,50 m ²


Electrical Data:

54 mono-crystalline cells:	156mm x 156mm
Connecting System:	Tyco-Solarlok®, plug in connector 4 mm²
Max. system voltage:	1000 V DC
Power tolerance:	(+ 3% / - 0%)*
Temperature coefficients:	Pmpp= - 0,43% /K Uoc= -107,4mV/K lsc= +3,63mA/K
Standard test conditions (STC):	AM1,5 / 1000W per m ² / 25°C
Ambient temperature:	+ 85°C to - 40°C
Cable length:	2000mm
Bypass diodes:	3 pcs. Tyco SL1515
Efficiency guarantee:	min. 97% in the first year, afterwards max. 0,70% reduction p.a. up to 25 years
Product guarantee:	12 years



Technical Data:

With aluminium frame:	1507 mm x 992 mm x 33 mm (+/-2 mm)
Laminate:	1500 mm x 985 mm x 4,5 mm (junction box height 22,5 mm)
Weight with/without frame:	16,50 kg / 15,50 kg
Glass specification:	Solar glass ESG 3,2mm
Encapsulation material:	Etimex
Backside material:	Isovoltaic
Test certificate:	IEC 61215, Ed. 2 incl. mechanical load test up to 5400 Pa, IEC 61730, IP 65, MCS - Certificate
Extended hail test:	grainsize 25mm, max. velocity of 46m/s (165,6km/h) and grainsize 55mm, max. velocity of 33,9m/s (122,04km/h)
Salt mist corrosion test:	A minimum of 96 hours continuous exposure to a highly concentrated salt mist
RFID Technology:	Integrated chip with electrical characteristics and module information







- Qualified, IEC 61215 Safety tested, IEC 61730
- leavy Snow Load tested
 - Periodic Inspection







Certificate No.: MCS PV0025 Photovoltaic systems





